EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	(secure near3 message) same ·attach$5 same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:00
S2	1	(secure near3 message) same ((first and second) near3 attach$5) same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:53
S3	1	(secure near3 message) same ((first and second) near3 attach$5) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:54
S4	6	(secure near3 message) same (mobile adj2 (terminal or device or station)) and ((first and second) near3 attach$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:55
S5	9	(secure near3 message) and (mobile adj2 (terminal or device or station)) and ((first and second) near3 attach$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:57
S6	3	S5 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:55
S7	2	(secur$3 near3 message) same (mobile adj2 (terminal or device or station)) same server and ((first and second) near3 attach$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:58
S8	16	(secure near3 message) same attach$5 same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:00
S9	6	(secure near3 message) same attach$5 same (mobile adj2 (erminal or device or station)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:03

S10	1	(secure near3 message) same (second near3 attach$5) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:04
S11	13	(secure near3 message) and (second near3 attach$5) and (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:15
S12	1	(secure near3 message) same (second near3 attach$5) and (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:05
S13	6	(secure near3 message) and (second near3 attach$5) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:23
S14	307	secure same (message near3 attach$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:23
S15	39	secure same (message near3 attach$4) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:23
S16	50	secur$3 same (message near3 attach$4) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:43
S17	8	secur$3 same (message near3 attach$4) same (mobile adj2 (terminal or device or station)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:44
S18	50	secur$4 same (message near3 attach$4) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:44
S19	48	secur$3 same (message near3 attach$4) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:54

S20	40	S19 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:45
S21	1	secur$3 same (second near3 (message near3 attach$4)) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:54
S22	4	secur$3 and(second near3 (message near3 attach$4)) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:09
S23	5	(second near3 (message near3 attach$4)) same (mobile adj2 (terminal or device or station)) and server and (secur$3 or authenticat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:21
S24	2	(second near3 (message near3 attach$4)) same (mobile adj2 (terminal or device or station)) same (secur$3 or authenticat$3) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:22
S25	9	(second near3 (message near3 attach$4)) same (secur$3 or authenticat$3) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:23
S26	70	((message near3 attach$4)) same (secur$3 or authenticat$3) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:26
S27	12	((message near3 attach$4)) same (secur$3 or authenticat$3) same (mobile adj2 (terminal or device or station)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:55
S28	58	S26 not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:25
S29	16	S28 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:25

S30	2	((secur$3 or authenticat$3) near3 message) same (second near3 attach$4) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:27
S31	3	(second near3 attach$4) same server same (secur$4 near3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:57
S32	7	(second near3 attach$4) same (secur$4 near3 message) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:23
S33	3	(second near3 attach$4) same within same (secur$4 near3 message) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:26
S34	6847	(secur$4 near3 message) same message and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:26
S35	2325	(secur$4 near3 message) same message same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:27
S36	130	(secur$4 near3 message) same message same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:27
S37	50	message same within same (secur$4 near3 message) same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:29
S38	1	message same within same (secur$4 near3 message) same server same (mobile adj2 (erminal or device or station)) and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:28
S39	130	message same (secur$4 near3 message) same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:01

S40	12	message same (secur$4 near3 message) same server same (mobile adj2 (erminal or device or station)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:47
S45	34	message same (secur$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and symmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:50
S47	6	message same (secur$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and symmetric and asymmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:52
S48	4	message same (secur$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and symmetric and asymmetric and mime	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:05
S49	60	message same (secur$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and mime	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:05
S50	60	message same (secur$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and mime	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:07
S51	21	message same (secur$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and (secure near3 layer) and encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:07
S52	25	message same (secur$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and (secure near3 layer) and encrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:55
S53	7618	secur$4 same (second near3 attachment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:56
S54	1	secur$4 same (second near3 attachment) same server same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:57

EAST Search History

S55	1	secur$4 same (second near3 message near3 attachment) same server same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:57
S56	1	secur$4 same (second near3 message near3 attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:57
S57	3	secur$4 same (second near3 message near3 attachment) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:00
S58	1	(secur$4 near3 message) same (second near3 attachment) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:00
S59	5	attach$4 same (secur$4 near3 message) same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:01
S60	20	attach$4 same (secur$4 near3 message) same server and (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:08
S61	15	S60 not S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:02
S62	6	((secur$4 near3 message) near3 attach$4) same server and (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:11
S63	25	((secur$4 near3 message) near3 attach$4) same (text or document or audio or image or video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:15
S65	20	((secur$4 near3 message) near3 attach$4) same (text or document or audio or image or video) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:17

EAST Search History

S66	16	((secur$4 near3 message) near3 attachment) same (text or document or audio or image or video) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:17